



Parking

Ilumitec,S.A.

ilumitec@gmail.com

ventas.ilumitec@ilumitecled.com





# PARKING AREA AND GARAGE LIGHTING

## Selection Guide

Better Lighting for Parking Starts Here

**CREE**

# HIGH-PERFORMANCE, ENERGY-EFFICIENT LIGHTING



## PARKING AREA




	OSQ Series	Cree Edge™ HO	RUL Series
<b>Lumens</b>	8,716 to 23,179	4,276 to 18,391	5,600
<b>Wattages</b>	112W to 223W	46W to 202W	50W
<b>CRI</b>	70-80	70	70
<b>CCT</b>	3000K, 4000K or 57000K	4000K (+/- 300K), 5700K (+/- 500K standard)	4000K
<b>Positioning</b>	Replaces up to 750W HID	Modular, low-profile design, multi-application	Security lighting


## BUILDING EXTERIOR



	XSP Series	Cree Edge™ Flood	OSQ Series
<b>Lumens</b>	2529 to 4109	2,138 to 23,464	8,716 to 23,179
<b>Wattages</b>	25W to 42W	25W to 263W	112W to 223W
<b>CRI</b>	70	70	70 (4000K, 5700K) 80 (3000K)
<b>CCT</b>	4000K, 5000K	4000K (+/-300K), 5700K (+/-500K)	3000K, 4000K or 57000K
<b>Positioning</b>	Replaces existing wall packs simply and easily	Modular, low-profile design	Slim, low-profile design



Ilumitec,S.A.  
 ilumitec@gmail.com  
 ventas.ilumitec@ilumitecled.com



## PARKING GARAGE




	IG Series	VG Series	304 Series
<b>Lumens</b>	3,430 to 7,500	3,710 to 3,870	4,595 to 12,072
<b>Wattages</b>	33W to 66W	50W	46W to 135W
<b>CRI</b>	80	70	70
<b>CCT</b>	3000K, 4000K or 5700K	4000K, 5700K	4000K, 5700K
<b>Positioning</b>	Low Glare and Energy Consumption	Low glare and exceptional uniform lighting	Constructed from rugged die cast and extruded aluminum components

## STAIRWELL / CANOPY



	LS Series	WS Series	CPY Series
<b>Lumens</b>	2,500 to 10,000	4,700 to 5,700	7,600 to 17,059
<b>Wattages</b>	25W to 100W	50W to 64W	122W to 140W
<b>CRI</b>	90+	80	70
<b>CCT</b>	3500K, 4000K, 5000K	3500K, 4000K, 5000K, 5700K	4000K, 5700K
<b>Positioning</b>	Compact elegant design, fully luminous and no pixelization easily	Simple, secure and durable design	Thin profile crafted aluminum design



## Parking Garages

- IP66 Rated
- Low Glare Design
- High-Efficiency Operation
- Programmable Controls

## Parking Areas

- Extreme Optical Control
- Advanced Thermal Management
- Modern Aesthetics
- Rugged Cast Aluminum

## Building Exteriors

- Low Profile Designs
- Weather Tight Compartments
- High-Performance Heat Sinks
- Multiple Mounting Options

# BETTER LIGHTING FOR BETTER PARKING EXPERIENCES

Learn more at: [lighting.cree.com/parking](http://lighting.cree.com/parking) | [info@cree.com](mailto:info@cree.com) | **800.236.6800**